

AUTHOR INDEX TO VOLUME 16

Issue Page

- | | | | |
|---|-----|--------------------|---|
| 2 | 199 | Anderson, J. | A cubic spline interpolation of unequally spaced data points. |
| 2 | 199 | Ardill, R.W.B. | A cubic spline interpolation of unequally spaced data points. |
| 2 | 147 | Armenise, N. | POL: an interactive system to analyze large data sets. |
| 2 | 167 | Basu, I. | Note on the principle of stationary phase. |
| 2 | 199 | Beckwith, R.C. | A cubic spline interpolation of unequally spaced data points. |
| 2 | 167 | Bhattacharya, R.N. | Note on the principle of stationary phase. |
| 1 | 113 | Bok, J. | A subroutine for approximation by cubic splines in the least squares sense. |
| 3 | 345 | Bolger, J.E. | WORKER: a program for histogram manipulation. |
| 2 | 243 | Boris, J.P. | ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 1 | 119 | Clark, R.E.H. | Intermediate coupling collision strengths from LS coupled R-matrix elements. |
| 1 | 35 | Comfort, J.R. | Fitting elastic-scattering cross sections with coupled channels. |
| 1 | 5 | De Mey, G. | An integral equation method for the numerical solution of Laplace's equation without Green's function. |
| 3 | 373 | Dobes, J. | Calculations of generalized harmonic oscillator brackets. |
| 3 | 345 | Ellinger, H. | WORKER: a program for histogram manipulation. |
| 1 | 139 | Fang, M.T.C. | Radial radiative flux in cylindrically symmetric arcs. |
| 3 | 389 | Funsten, H.O. | A new version of PIRK (elastic pion-nucleus scattering) to handle differing proton and neutron radii. |
| 3 | 395 | Funsten, H.O. | A new version of DWPI (inelastic pion-nucleus scattering) to incorporate microscopic form factors and differing proton and neutron radii. |
| 2 | 243 | Gardner, J.H. | ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 3 | 331 | Giorgilli, A. | A computer program for integrals of motion. |
| 1 | 11 | Glass, R. | Reduced matrix elements of tensor operators. |
| 1 | 19 | Glass, R. | Relativistic effects in many electron atoms. |
| 2 | 175 | Gruschel, W.J. | FREINT: an integration routine calculating Fresnel diffraction. |

Issue Page

- | | | | |
|---|-----|------------------|---|
| 2 | 159 | Hardcastle, D.L. | Finite-difference solution to the Schrodinger equation for the helium isoelectronic sequence. |
| 1 | 1 | Hartwig, A. | Exact ground state of finite amorphous Ising systems. |
| 1 | 73 | Harvey, A.B. | CARS spectral profiles for homonuclear diatomic molecules. |
| 2 | 159 | Hawk, I.L. | Finite-difference solution to the Schrodinger equation for the helium isoelectronic sequence. |
| 1 | 19 | Hibbert, A. | Relativistic effects in many electron atoms. |
| 2 | 281 | Hibbert, A. | Book review, |
| 1 | 5 | Hostens, R. | An integral equation method for the numerical solution of Laplace's equation without Green's function. |
| 1 | 85 | Ivascu, M. | Liquid drop model deformation energies of nuclei with axial symmetry and reflection asymmetry. |
| 1 | 1 | Kobe, S. | Exact ground state of finite amorphous Ising systems. |
| 2 | 181 | Kunc, K. | Lattice dynamics of zincblende structure compounds using deformation-dipole model and rigid ion model. |
| 3 | 285 | Labarthe, J.J. | I. Generator of determinantal non-relativistic atomic states from spectroscopic notation. Computation of matrix elements. |
| 3 | 301 | Labarthe, J.J. | II. Generator of atomic excited terms from angular considerations. |
| 3 | 311 | Labarthe, J.J. | III. Analytic approximations of radial orbitals for multiconfigurational Hartree-Fock computations. |
| 3 | 325 | Labarthe, J.J. | IV. Approximation of numerical orbitals by Slater functions. |
| 2 | 147 | Lefons, E. | POL: an interactive system to analyze large data sets. |
| 1 | 73 | Lemont, S. | CARS spectral profiles for homonuclear diatomic molecules. |
| 2 | 207 | Lubkin, E. | An inversion of quantum mechanics. |
| 2 | 207 | Lubkin, T. | An inversion of quantum mechanics. |
| 1 | 129 | Magill, J. | TRIP 1: a time-dependent recombination ionisation package. |
| 2 | 267 | Moon, W. | Numerical evaluation of geomagnetic dynamo integrals (Elsasser and Adams-Gaunt integrals). |
| 2 | 273 | Moon, W. | An interpolation method for data sets with jump discontinuities. |
| 3 | 345 | Moore, C.F. | WORKER: a program for histogram manipulation. |
| 2 | 199 | Moriarty, K.J.M. | A cubic spline interpolation of unequally spaced data points. |
| 2 | 181 | Nielsen, O.H. | Lattice dynamics of zincblende structure compounds using deformation-dipole model and rigid ion model. |
| 2 | 147 | Pazienza, M.T. | POL: an interactive system to analyze large data sets. |
| 1 | 85 | Poenaru, D.N. | Liquid drop model deformation energies of nuclei with axial symmetry and reflection asymmetry. |
| 1 | 93 | Pomponiu, C. | Fourier analysis with splines. A Fortran program. |
| 2 | 221 | Rinker, G.A. | Static and dynamic muonic-atom codes MUON and RURP. |

Issue Page

- | | | | |
|---|-----|------------------|---|
| 1 | 93 | Sararu, M. | Fourier analysis with splines. A Fortran program. |
| 1 | 57 | Saxena, K.M.S. | Adaptation of the new version of the reduced matrix elements (AAKP) program; inclusion of the checking of the input data. |
| 1 | 73 | Shaub, W.M. | CARS spectral profiles for homonuclear diatomic molecules. |
| 1 | 139 | Shayler, P.J. | Radial radiative flux in cylindrically symmetric arcs. |
| 2 | 147 | Silvestri, A. | POL: an interactive system to analyze large data sets. |
| 3 | 383 | Sommer, B. | On numerical Bessel transformation. |
| 3 | 363 | Stanev, T. | A set of subroutines for simulation of electron-photon cascades. |
| 2 | 147 | Tangorra, F. | POL: an interactive system to analyze large data sets. |
| 3 | 283 | Tobin, F.L. | An algorithm for the storage of Condon-Shortley coefficients. |
| 1 | 51 | Tran, T.M. | Finite element calculation of the anomalous skin effect in a homogeneous, unmagnetized cylindrical plasma column. |
| 1 | 51 | Troyon, F. | Finite element calculation of the anomalous skin effect in a homogeneous, unmagnetized cylindrical plasma column. |
| 3 | 363 | Vankov, Ch. | A set of subroutines for simulation of electron-photon cascades. |
| 2 | 243 | Weber, W.J. | ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. |
| 1 | 43 | Yoshiki, H. | A new approach to cross section calculations. |
| 1 | 65 | Yurtsever, E. | An integral package for one-centre integrals over Slater-Transform-Preuss functions. |
| 3 | 383 | Zabolitzky, J.G. | On numerical Bessel transformation. |
| 2 | 147 | Zito, G. | POL: an interactive system to analyze large data sets. |

PROGRAM INDEX TO VOLUME 16

Astrophysics

Issue Page Cat.no.

- | | | | |
|---|-----|------|--|
| 2 | 243 | ABUX | ALFVEN (Fortran). ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. W.J. Weber, J.P. Boris and J.H. Gardner. |
| 3 | 331 | ACYO | COSTANTI DEL MOTO (Fortran). A computer program for integrals of motion. A. Giorgilli. |
| 3 | 363 | AAUV | EMCASR (Fortran). A set of subroutines for simulation of electron-photon cascades. T. Stanev and Ch. Vankov. |

Atomic Physics

- | | | | |
|---|-----|------|--|
| 1 | 57 | AAKP | 0002ADAPT TENSOR 2 TO CHECK DATA (Fortran). Adaptation of the new version of the reduced matrix elements (AAKP) program; inclusion of the checking of the input data. K.M.S. Saxena. Subroutines required by this program are ACQB 1(1969)15, ACRN 6(1973)88, AAHD 8(1974)151. |
| 1 | 65 | ACYU | STP (Fortran). An integral package for one-centre integrals over Slater-Transform-Preuss functions. E. Yurtsever. |
| 1 | 119 | AAKY | LSTOIC (Fortran). Intermediate coupling collision strengths from LS coupled R-matrix elements. R.E.H. Clark. |
| 1 | 129 | ABUV | TRIP 1 (Fortran). TRIP 1: a time-dependent recombination ionisation package. J. Magill. Subroutine required by this program is ABUI 9(1975)51. |
| 2 | 221 | ABNB | MUON (Fortran). Static and dynamic muonic-atom codes MUON and RURP. G.A. Rinker. |
| 2 | 221 | ABNC | RURP (Fortran). Static and dynamic muonic-atom codes MUON and RURP. G.A. Rinker. Subroutine required by this program (for data) is ABNB 16(1979)221. |
| 3 | 285 | AAKU | TERM (Fortran). I. Generator of determinantal non-relativistic atomic states from spectroscopic notation. Computation of matrix elements. J.J. Labarthe. |
| 3 | 301 | AAKV | EXCGH (Fortran). II. Generator of atomic excited terms from angular considerations. J.J. Labarthe. Subroutine required by this program (for data) is AAKU 16(1979)285. |
| 3 | 311 | AAKW | EDD (Fortran). III. Analytic approximations of radial orbitals for multiconfigurational Hartree-Fock computations. J.J. Labarthe. Subroutine required by this program (for data) is AAKV 16(1979)301. |
| 3 | 325 | AAKW | 0001 QFO (Fortran). IV. Approximation of numerical orbitals by Slater functions. J.J. Labarthe. |

General Purpose

- | | | | |
|---|-----|------|---|
| 1 | 93 | AAUX | TRIINT (Fortran). Fourier analysis with splines. A Fortran program. C. Pomponiu and M. Sararu. |
| 1 | 113 | AAPA | BELLS (Fortran). A subroutine for approximation by cubic splines in the least squares sense. J. Bok. |
| 2 | 199 | ACYV | CUSPLN (Fortran). A cubic spline interpolation of unequally spaced data points. J. Anderson, R.W.B. Ardill, K.J.M. Moriarty and R.C. Beckwith. Subroutines required by this program are AAUN 9(1975)85, AAUN0001 15(1978)437. |
| 2 | 207 | ACYP | MATRIXFORMAT, CLSSCLFORMAT (Fortran). An inversion of quantum mechanics. E. Lubkin and T. Lubkin. |
| 2 | 273 | ACYW | JMPDIS (Fortran). An interpolation method for data sets with jump discontinuities. W. Moon. |
| 3 | 345 | ABPH | WORKER (Fortran). WORKER: a program for histogram manipulation. J.E. Bolger, H. Ellinger and C.F. Moore. |
| 3 | 383 | ACZC | FTRANS (Fortran). On numerical Bessel transformation. B. Sommer and J.G. Zabolitzky. |

Geophysics

- | | | | |
|---|-----|------|---|
| 2 | 267 | ACYX | ELSGAU (Fortran). Numerical evaluation of geomagnetic dynamo integrals (Elsasser and Adams-Gaunt integrals). W. Moon. |
|---|-----|------|---|

Laser Physics

- | | | | |
|---|----|------|---|
| 1 | 73 | AAHJ | CARS (Fortran). CARS spectral profiles for homonuclear diatomic molecules. W.M. Shaub, S. Lemont and A.B. Harvey. |
|---|----|------|---|

Molecular Physics

- | | | | |
|---|----|------|---|
| 1 | 65 | ACYU | STP (Fortran). An integral package for one-centre integrals over Slater-Transform-Preuss functions. E. Yurtsever. |
| 1 | 73 | AAHJ | CARS (Fortran). CARS spectral profiles for homonuclear diatomic molecules. W.M. Shaub, S. Lemont and A.B. Harvey. |

Nuclear Physics

- | | | | |
|---|-----|------|--|
| 1 | 85 | ABQG | LIQUID DROP DEFORMATION ENERGIES (Fortran). Liquid drop model deformation energies of nuclei with axial symmetry and reflection asymmetry. D.N. Poenaru and M. Ivascu. |
| 2 | 221 | ABNB | MUON (Fortran). Static and dynamic muonic-atom codes MUON and RURP. G.A. Rinker. |
| 2 | 221 | ABNC | RURP (Fortran). Static and dynamic muonic-atom codes MUON and RURP. G.A. Rinker. Subroutine required by this program (for data) is ABNB 16(1979)221. |
| 3 | 363 | AAUV | EMCASR (Fortran). A set of subroutines for simulation of electron-photon cascades. T. Stanev and Ch. Vankov. |

Nuclear Physics (cont.)*Issue Page Cat.no.*

- | | | | |
|---|-----|------|---|
| 3 | 373 | ABGR | TAMOB (Fortran). Calculations of generalized harmonic oscillator brackets. J. Dobes. |
| 3 | 389 | AAWC | PIRK 2 (Fortran). A new version of PIRK (elastic pion-nucleus scattering) to handle differing proton and neutron radii. H.O. Funsten. See other version of this program ABCJ 8(1974)130. |
| 3 | 395 | AAWD | DWPI 2 (Fortran). A new version of DWPI (inelastic pion-nucleus scattering) to incorporate microscopic form factors and differing proton and neutron radii. H.O. Funsten. Subroutine required by this program is AAWC 16(1979)389. See other version of this program ABIG 11(1976)95. |

Optics

- | | | | |
|---|-----|------|--|
| 2 | 175 | ACUB | FREINT (Fortran). FREINT: an integration routine calculating Fresnel diffraction. W.J. Gruschel. |
|---|-----|------|--|

Plasma Physics

- | | | | |
|---|-----|------|--|
| 1 | 73 | AAHJ | CARS (Fortran). CARS spectral profiles for homonuclear diatomic molecules. W.M. Shaub, S. Lemont and A.B. Harvey. |
| 1 | 129 | ABUV | TRIP 1 (Fortran). TRIP 1: a time-dependent recombination ionisation package. J. Magill. Subroutine required by this program is ABUJ 9(1975)51. |
| 1 | 139 | ABUW | RADFL (Fortran). Radial radiative flux in cylindrically symmetric arcs. P.J. Shayler and M.T.C. Fang. |
| 2 | 243 | ABUX | ALFVEN (Fortran). ALFVEN: a two-dimensional code based on SHASTA, solving the radiative, diffusive MHD equations. W.J. Weber, J.P. Boris and J.H. Gardner. |

Quantum Chemistry

- | | | | |
|---|----|------|---|
| 1 | 65 | ACYU | STP (Fortran). An integral package for one-centre integrals over Slater-Transform-Preuss functions. E. Yurtsever. |
|---|----|------|---|

Radiation Physics

- | | | | |
|---|-----|------|--|
| 1 | 129 | ABUV | TRIP 1 (Fortran). TRIP 1: a time-dependent recombination ionisation package. J. Magill. Subroutine required by this program is ABUJ 9(1975)51. |
| 1 | 139 | ABUW | RADFL (Fortran). Radial radiative flux in cylindrically symmetric arcs. P.J. Shayler and M.T.C. Fang. |

Solid State Physics

- | | | | |
|---|-----|------|---|
| 2 | 181 | ACMP | LATTICE DYNAMICS OF ZINCBLLENDE (Fortran). Lattice dynamics of zincblende structure compounds using deformation-dipole model and rigid ion model. K. Kunc and O.H. Nielsen. |
|---|-----|------|---|